

Refine Search

Search Results -

Terms	Documents
L14 and (extract\$3 near (data or sentence) near similar\$5)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L15

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 01, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L15</u>	L14 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L15</u>
<u>L14</u>	L13 and retriev\$3	17	<u>L14</u>
<u>L13</u>	L10 and (question same sentence same similar\$5)	18	<u>L13</u>
<u>L12</u>	L10 and (question same sentence same similar\$)	18	<u>L12</u>
<u>L11</u>	L10 and (question near sentence)	2	<u>L11</u>
<u>L10</u>	(L8 or L9) and L1	140	<u>L10</u>
<u>L9</u>	704/\$.ccls.	18586	<u>L9</u>
<u>L8</u>	707/\$.ccls.	25933	<u>L8</u>
<u>L7</u>	L6 and (categoriz\$6 or categoris\$6)	2	<u>L7</u>
<u>L6</u>	L1 and (question near sentence)	10	<u>L6</u>
<u>L5</u>	L4 and retriev\$3	23	<u>L5</u>
<u>L4</u>	L2 and (categoriz\$6 or categoris\$6)	30	<u>L4</u>
<u>L3</u>	L2 and (categoriz\$3 or categoris\$3)	26	<u>L3</u>
<u>L2</u>	L1 and (question same sentence)	89	<u>L2</u>

L1 topic same question same answer

690 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L16 or L17) and L6	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L18

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 01, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L18</u>	(L16 or L17) and L6	1	<u>L18</u>
<u>L17</u>	704/10.ccls.	321	<u>L17</u>
<u>L16</u>	704/9.ccls.	860	<u>L16</u>
<u>L15</u>	L14 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L15</u>
<u>L14</u>	L13 and retriev\$3	17	<u>L14</u>
<u>L13</u>	L10 and (question same sentence same similar\$5)	18	<u>L13</u>
<u>L12</u>	L10 and (question same sentence same similar\$)	18	<u>L12</u>
<u>L11</u>	L10 and (question near sentence)	2	<u>L11</u>
<u>L10</u>	(L8 or L9) and L1	140	<u>L10</u>
<u>L9</u>	704/\$.ccls.	18586	<u>L9</u>
<u>L8</u>	707/\$.ccls.	25933	<u>L8</u>
<u>L7</u>	L6 and (categoriz\$6 or categoris\$6)	2	<u>L7</u>
<u>L6</u>	L1 and (question near sentence)	10	<u>L6</u>
<u>L5</u>	L4 and retriev\$3	23	<u>L5</u>

<u>L4</u>	L2 and (categoriz\$6 or categoris\$6)	30	<u>L4</u>
<u>L3</u>	L2 and (categoriz\$3 or categoris\$3)	26	<u>L3</u>
<u>L2</u>	L1 and (question same sentence)	89	<u>L2</u>
<u>L1</u>	topic same question same answer	690	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L21 not L18	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L22

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 01, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L22</u>	L21 not L18	1	<u>L22</u>
<u>L21</u>	(L19 or L20) and (extract\$3 near (data or sentence) near similar\$5)	1	<u>L21</u>
<u>L20</u>	"question sentence"	336	<u>L20</u>
<u>L19</u>	"question sentence retrieval"	6	<u>L19</u>
<u>L18</u>	(L16 or L17) and L6	1	<u>L18</u>
<u>L17</u>	704/10.ccls.	321	<u>L17</u>
<u>L16</u>	704/9.ccls.	860	<u>L16</u>
<u>L15</u>	L14 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L15</u>
<u>L14</u>	L13 and retriev\$3	17	<u>L14</u>
<u>L13</u>	L10 and (question same sentence same similar\$5)	18	<u>L13</u>
<u>L12</u>	L10 and (question same sentence same similar\$)	18	<u>L12</u>
<u>L11</u>	L10 and (question near sentence)	2	<u>L11</u>
<u>L10</u>	(L8 or L9) and L1	140	<u>L10</u>
<u>L9</u>	704/\$.ccls.	18586	<u>L9</u>

<u>L8</u>	707/\$.ccls.	25933	<u>L8</u>
<u>L7</u>	L6 and (categoriz\$6 or categoris\$6)	2	<u>L7</u>
<u>L6</u>	L1 and (question near sentence)	10	<u>L6</u>
<u>L5</u>	L4 and retriev\$3	23	<u>L5</u>
<u>L4</u>	L2 and (categoriz\$6 or categoris\$6)	30	<u>L4</u>
<u>L3</u>	L2 and (categoriz\$3 or categoris\$3)	26	<u>L3</u>
<u>L2</u>	L1 and (question same sentence)	89	<u>L2</u>
<u>L1</u>	topic same question same answer	690	<u>L1</u>

END OF SEARCH HISTORY

Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20020147716 A1

Using default format because multiple data bases are involved.

L21: Entry 1 of 1

File: PGPB

Oct 10, 2002

PGPUB-DOCUMENT-NUMBER: 20020147716

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020147716 A1

TITLE: Retrieval apparatus, retrieval method and retrieval program

PUBLICATION-DATE: October 10, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Namba, Isao	Kawasaki		JP	

US-CL-CURRENT: 707/5

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	----------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
(L19 or L20) and (extract\$3 near (data or sentence) near similar\$5)	1

Display Format:

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Refine Search

Search Results -

Terms	Documents
L24 and (extract\$3 near (data or sentence) near similar\$5)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L25

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 01, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L25</u>	L24 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L25</u>
<u>L24</u>	L23 and L2	10	<u>L24</u>
<u>L23</u>	715/\$.ccls.	20969	<u>L23</u>
<u>L22</u>	L21 not L18	1	<u>L22</u>
<u>L21</u>	(L19 or L20) and (extract\$3 near (data or sentence) near similar\$5)	1	<u>L21</u>
<u>L20</u>	"question sentence"	336	<u>L20</u>
<u>L19</u>	"question sentence retrieval"	6	<u>L19</u>
<u>L18</u>	(L16 or L17) and L6	1	<u>L18</u>
<u>L17</u>	704/10.ccls.	321	<u>L17</u>
<u>L16</u>	704/9.ccls.	860	<u>L16</u>
<u>L15</u>	L14 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L15</u>
<u>L14</u>	L13 and retriev\$3	17	<u>L14</u>
<u>L13</u>	L10 and (question same sentence same similar\$5)	18	<u>L13</u>
<u>L12</u>	L10 and (question same sentence same similar\$)	18	<u>L12</u>

<u>L11</u>	L10 and (question near sentence)	2	<u>L11</u>
<u>L10</u>	(L8 or L9) and L1	140	<u>L10</u>
<u>L9</u>	704/\$.ccls.	18586	<u>L9</u>
<u>L8</u>	707/\$.ccls.	25933	<u>L8</u>
<u>L7</u>	L6 and (categoriz\$6 or categoris\$6)	2	<u>L7</u>
<u>L6</u>	L1 and (question near sentence)	10	<u>L6</u>
<u>L5</u>	L4 and retriev\$3	23	<u>L5</u>
<u>L4</u>	L2 and (categoriz\$6 or categoris\$6)	30	<u>L4</u>
<u>L3</u>	L2 and (categoriz\$3 or categoris\$3)	26	<u>L3</u>
<u>L2</u>	L1 and (question same sentence)	89	<u>L2</u>
<u>L1</u>	topic same question same answer	690	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L26 and (extract\$3 near (data or sentence) near similar\$5)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L27

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 01, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L27</u>	L26 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L27</u>
<u>L26</u>	715/530-534.ccls.	2218	<u>L26</u>
<u>L25</u>	L24 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L25</u>
<u>L24</u>	L23 and L2	10	<u>L24</u>
<u>L23</u>	715/\$.ccls.	20969	<u>L23</u>
<u>L22</u>	L21 not L18	1	<u>L22</u>
<u>L21</u>	(L19 or L20) and (extract\$3 near (data or sentence) near similar\$5)	1	<u>L21</u>
<u>L20</u>	"question sentence"	336	<u>L20</u>
<u>L19</u>	"question sentence retrieval"	6	<u>L19</u>
<u>L18</u>	(L16 or L17) and L6	1	<u>L18</u>
<u>L17</u>	704/10.ccls.	321	<u>L17</u>
<u>L16</u>	704/9.ccls.	860	<u>L16</u>
<u>L15</u>	L14 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L15</u>
<u>L14</u>	L13 and retriev\$3	17	<u>L14</u>

<u>L13</u>	L10 and (question same sentence same similar\$5)	18	<u>L13</u>
<u>L12</u>	L10 and (question same sentence same similar\$)	18	<u>L12</u>
<u>L11</u>	L10 and (question near sentence)	2	<u>L11</u>
<u>L10</u>	(L8 or L9) and L1	140	<u>L10</u>
<u>L9</u>	704/\$.ccls.	18586	<u>L9</u>
<u>L8</u>	707/\$.ccls.	25933	<u>L8</u>
<u>L7</u>	L6 and (categoriz\$6 or categoris\$6)	2	<u>L7</u>
<u>L6</u>	L1 and (question near sentence)	10	<u>L6</u>
<u>L5</u>	L4 and retriev\$3	23	<u>L5</u>
<u>L4</u>	L2 and (categoriz\$6 or categoris\$6)	30	<u>L4</u>
<u>L3</u>	L2 and (categoriz\$3 or categoris\$3)	26	<u>L3</u>
<u>L2</u>	L1 and (question same sentence)	89	<u>L2</u>
<u>L1</u>	topic same question same answer	690	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L29 and (question near sentence)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L30

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, April 01, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L30</u>	L29 and (question near sentence)	0	<u>L30</u>
<u>L29</u>	L28 and (degree near calculat\$4)	2	<u>L29</u>
<u>L28</u>	L1 and calculat\$4	284	<u>L28</u>
<u>L27</u>	L26 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L27</u>
<u>L26</u>	715/530-534.ccls.	2218	<u>L26</u>
<u>L25</u>	L24 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L25</u>
<u>L24</u>	L23 and L2	10	<u>L24</u>
<u>L23</u>	715/\$.ccls.	20969	<u>L23</u>
<u>L22</u>	L21 not L18	1	<u>L22</u>
<u>L21</u>	(L19 or L20) and (extract\$3 near (data or sentence) near similar\$5)	1	<u>L21</u>
<u>L20</u>	"question sentence"	336	<u>L20</u>
<u>L19</u>	"question sentence retrieval"	6	<u>L19</u>
<u>L18</u>	(L16 or L17) and L6	1	<u>L18</u>
<u>L17</u>	704/10.ccls.	321	<u>L17</u>

<u>L16</u>	704/9.ccls.	860	<u>L16</u>
<u>L15</u>	L14 and (extract\$3 near (data or sentence) near similar\$5)	0	<u>L15</u>
<u>L14</u>	L13 and retriev\$3	17	<u>L14</u>
<u>L13</u>	L10 and (question same sentence same similar\$5)	18	<u>L13</u>
<u>L12</u>	L10 and (question same sentence same similar\$)	18	<u>L12</u>
<u>L11</u>	L10 and (question near sentence)	2	<u>L11</u>
<u>L10</u>	(L8 or L9) and L1	140	<u>L10</u>
<u>L9</u>	704/\$.ccls.	18586	<u>L9</u>
<u>L8</u>	707/\$.ccls.	25933	<u>L8</u>
<u>L7</u>	L6 and (categoriz\$6 or categoris\$6)	2	<u>L7</u>
<u>L6</u>	L1 and (question near sentence)	10	<u>L6</u>
<u>L5</u>	L4 and retriev\$3	23	<u>L5</u>
<u>L4</u>	L2 and (categoriz\$6 or categoris\$6)	30	<u>L4</u>
<u>L3</u>	L2 and (categoriz\$3 or categoris\$3)	26	<u>L3</u>
<u>L2</u>	L1 and (question same sentence)	89	<u>L2</u>
<u>L1</u>	topic same question same answer	690	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and (question near sentence)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Saturday, April 02, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L9</u>	L8 and (question near sentence)	1	<u>L9</u>
<u>L8</u>	(L5 or L6 or L7) and L3	8	<u>L8</u>
<u>L7</u>	704/10.ccls.	321	<u>L7</u>
<u>L6</u>	704/9.ccls.	860	<u>L6</u>
<u>L5</u>	704/7.ccls.	351	<u>L5</u>
<u>L4</u>	L3 and (question near sentence)	3	<u>L4</u>
<u>L3</u>	L1 and (extract\$3 same similar\$5)	61	<u>L3</u>
<u>L2</u>	L1 and (extract\$3 same similar\$)	61	<u>L2</u>
<u>L1</u>	topic same question same answer	690	<u>L1</u>

END OF SEARCH HISTORY



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"question sentence input" + "retrieval sentence" + similarity +



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [question sentence input retrieval](#)
[sentence similarity calculating degree](#)
[contribution corresponding word calculating difference](#)
[ratio extracting data](#)

Found 2 of 151,219

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new
window

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Correlating summarization of multi-source news with k-way graph bi-clustering](#)



Ya Zhang, Chao-Hsien Chu, Xiang Ji, Hongyuan Zha

December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2

Full text available: [pdf\(166.54 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

With the emergence of enormous amount of online news, it is desirable to construct text mining methods that can extract, compare and highlight similarities of them. In this paper, we explore the research issue and methodology of correlated summarization for a pair of news articles. The algorithm aligns the (sub)topics of the two news articles and summarizes their correlation by sentence extraction. A pair of news articles are modelled with a weighted bipartite graph. A mutual reinforcement princ ...

Keywords: biclustering, bipartite graph, correlated summarization, news summarization

2 [Data integration using similarity joins and a word-based information representation language](#)



William W. Cohen

July 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 3

Full text available: [pdf\(312.80 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The integration of distributed, heterogeneous databases, such as those available on the World Wide Web, poses many problems. Herer we consider the problem of integrating data from sources that lack common object identifiers. A solution to this problem is proposed for databases that contain informal, natural-language "names" for objects; most Web-based databases satisfy this requirement, since they usually present their information to the end-user through a veneer of text. We des ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"question sentence input" + "retrieval sentence" + similarity +

[SEARCH](#)

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used question sentence input retrieval
sentence similarity calculating degree contribution

Found 6 of 151,219

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new
window

Results 1 - 6 of 6

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Natural language processing: Sentence completion



Korinna Grabski, Tobias Scheffer

July 2004 **Proceedings of the 27th annual international conference on Research and development in information retrieval**

Full text available: [pdf](#) (181.97 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We discuss a retrieval model in which the task is to complete a sentence, given an initial fragment, and given an application specific document collection. This model is motivated by administrative and call center environments, in which users have to write documents with a certain repetitiveness. We formulate the problem setting and discuss appropriate performance metrics. We present an index-based retrieval algorithm and a cluster-based approach, and evaluate our algorithms using collections of ...

Keywords: applications, indexing methods, retrieval models

2 Content-based retrieval: VideoQA: question answering on news video



Hui Yang, Lekha Chaisorn, Yunlong Zhao, Shi-Yong Neo, Tat-Seng Chua

November 2003 **Proceedings of the eleventh ACM international conference on Multimedia**

Full text available: [pdf](#) (592.26 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

When querying a news video archive, the users are interested in retrieving precise answers in the form of a summary that best answers the query. However, current video retrieval systems, including the search engines on the web, are designed to retrieve documents instead of precise answers. This research explores the use of question answering (QA) techniques to support personalized news video retrieval. Users interact with our system, VideoQA, using short natural language questions with implicit ...

Keywords: transcript error correction, video question answering, video retrieval, video summarization

3 Correlating summarization of multi-source news with k-way graph bi-clustering



Ya Zhang, Chao-Hsien Chu, Xiang Ji, Hongyuan Zha

December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2

Full text available: [pdf](#) (166.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

With the emergence of enormous amount of online news, it is desirable to construct text mining methods that can extract, compare and highlight similarities of them. In this paper, we explore the research issue and methodology of correlated summarization for a pair of news articles. The algorithm aligns the (sub)topics of the two news articles and summarizes their correlation by sentence extraction. A pair of news articles are modelled with a weighted bipartite graph. A mutual reinforcement princ ...

Keywords: biclustering, bipartite graph, correlated summarization, news summarization

4 A text input front-end processor as an information access platform

Shinichi Doi, Shin-ichiro Kamei, Kiyoshi Yamabana
August 1998

Full text available:  [pdf\(648.02 KB\)](#)



[Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

This paper presents a practical foreign language writing support tool which makes it much easier to utilize dictionary and example sentence resources. Like a Kana-Kanji conversion front-end processor used to input Japanese language text, this tool is also implemented as a front-end processor and can be combined with a wide variety of applications. A morphological analyzer automatically extracts key words from text as it is being input into the tool, and these words are used to locate information ...

5 A workbench for finding structure in texts

Andrei Mikheev, Steven Finch

March 1997 **Proceedings of the fifth conference on Applied natural language processing**

Full text available:  [pdf\(783.10 KB\)](#)



[Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

In this paper we report on a set of computational tools with (n)SGML pipeline data flow for uncovering internal structure in natural language texts. The main idea behind the workbench is the independence of the text representation and text analysis phases. At the representation phase the text is converted from a sequence of characters to features of interest by means of the annotation tools. At the analysis phase those features are used by statistics gathering and inference tools for finding sig ...

6 Summarizing text documents: sentence selection and evaluation metrics

Jade Goldstein, Mark Kantrowitz, Vibhu Mittal, Jaime Carbonell

August 1999 **Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval**

Full text available:  [pdf\(273.01 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"question input" + "retrieval sentence" + similarity + "calculat



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used question input retrieval
sentence similarity calculating degree contribution

Found 8 of 151,219

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display
results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new
window

Results 1 - 8 of 8

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Natural language processing: Sentence completion



Korinna Grabski, Tobias Scheffer

July 2004 **Proceedings of the 27th annual international conference on Research and development in information retrieval**

Full text available: pdf(181.97 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We discuss a retrieval model in which the task is to complete a sentence, given an initial fragment, and given an application specific document collection. This model is motivated by administrative and call center environments, in which users have to write documents with a certain repetitiveness. We formulate the problem setting and discuss appropriate performance metrics. We present an index-based retrieval algorithm and a cluster-based approach, and evaluate our algorithms using collections of ...

Keywords: applications, indexing methods, retrieval models

2 Content-based retrieval: VideoQA: question answering on news video



Hui Yang, Lekha Chaisorn, Yunlong Zhao, Shi-Yong Neo, Tat-Seng Chua

November 2003 **Proceedings of the eleventh ACM international conference on Multimedia**

Full text available: pdf(592.26 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

When querying a news video archive, the users are interested in retrieving precise answers in the form of a summary that best answers the query. However, current video retrieval systems, including the search engines on the web, are designed to retrieve documents instead of precise answers. This research explores the use of question answering (QA) techniques to support personalized news video retrieval. Users interact with our system, VideoQA, using short natural language questions with implicit ...

Keywords: transcript error correction, video question answering, video retrieval, video summarization

3 Correlating summarization of multi-source news with k-way graph bi-clustering



Ya Zhang, Chao-Hsien Chu, Xiang Ji, Hongyuan Zha

December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2

Full text available: pdf(166.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

With the emergence of enormous amount of online news, it is desirable to construct text mining methods that can extract, compare and highlight similarities of them. In this paper, we explore the research issue and methodology of correlated summarization for a pair of news articles. The algorithm aligns the (sub)topics of the two news articles and summarizes their correlation by sentence extraction. A pair of news articles are modelled with a weighted bipartite graph. A mutual reinforcement princ ...

Keywords: biclustering, bipartite graph, correlated summarization, news summarization

4 A text input front-end processor as an information access platform



Shinichi Doi, Shin-ichiro Kamei, Kiyoshi Yamabana
August 1998

Full text available:  [pdf\(648.02 KB\)](#)



[Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

This paper presents a practical foreign language writing support tool which makes it much easier to utilize dictionary and example sentence resources. Like a Kana-Kanji conversion front-end processor used to input Japanese language text, this tool is also implemented as a front-end processor and can be combined with a wide variety of applications. A morphological analyzer automatically extracts key words from text as it is being input into the tool, and these words are used to locate information ...

5 A workbench for finding structure in texts



Andrei Mikheev, Steven Finch
March 1997 **Proceedings of the fifth conference on Applied natural language processing**

Full text available:  [pdf\(783.10 KB\)](#)



[Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

In this paper we report on a set of computational tools with (n)SGML pipeline data flow for uncovering internal structure in natural language texts. The main idea behind the workbench is the independence of the text representation and text analysis phases. At the representation phase the text is converted from a sequence of characters to features of interest by means of the annotation tools. At the analysis phase those features are used by statistics gathering and inference tools for finding sig ...

6 Posters: Evaluating retrieval performance for Japanese question answering: what are best passages?



Tetsuya Sakai, Tomoharu Kokubu
July 2003 **Proceedings of the 26th annual international ACM SIGIR conference on Research and development in informaion retrieval**

Full text available:  [pdf\(31.58 KB\)](#)



Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: passage retrieval, question answering

7 Improving problem-oriented mailing list archives with MCS



Robert S. Brewer
June 2000 **Proceedings of the 22nd international conference on Software engineering**

Full text available:  [pdf\(120.93 KB\)](#)



Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Developers often use electronic mailing lists when seeking assistance with a particular software application. The archives of these mailing lists provide a rich repository of problem-

solving knowledge. Developers seeking a quick answer to a problem find these archives inconvenient, because they lack efficient searching mechanisms, and retain the structure of the original conversational threads which are rarely relevant to the knowledge seeker. We present a system called MCS which ...

Keywords: archives, collective memory, knowledge condensation, mailing lists

8 Summarizing text documents: sentence selection and evaluation metrics



Jade Goldstein, Mark Kantrowitz, Vibhu Mittal, Jaime Carbonell

August 1999 **Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval**

Full text available:  [pdf\(273.01 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"question sentence input" + "retrieval sentence" + similarity +



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used question sentence input retrieval
sentence similarity calculating degree contribution calculating
difference ratio

Found 6 of 151,219

Sort results
by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new
window

Results 1 - 6 of 6

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Natural language processing: Sentence completion



Korinna Grabski, Tobias Scheffer

July 2004 **Proceedings of the 27th annual international conference on Research and development in information retrieval**

Full text available: pdf (181.97 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We discuss a retrieval model in which the task is to complete a sentence, given an initial fragment, and given an application specific document collection. This model is motivated by administrative and call center environments, in which users have to write documents with a certain repetitiveness. We formulate the problem setting and discuss appropriate performance metrics. We present an index-based retrieval algorithm and a cluster-based approach, and evaluate our algorithms using collections of ...

Keywords: applications, indexing methods, retrieval models

2 Content-based retrieval: VideoQA: question answering on news video



Hui Yang, Lekha Chaisorn, Yunlong Zhao, Shi-Yong Neo, Tat-Seng Chua

November 2003 **Proceedings of the eleventh ACM international conference on Multimedia**

Full text available: pdf (592.26 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

When querying a news video archive, the users are interested in retrieving precise answers in the form of a summary that best answers the query. However, current video retrieval systems, including the search engines on the web, are designed to retrieve documents instead of precise answers. This research explores the use of question answering (QA) techniques to support personalized news video retrieval. Users interact with our system, VideoQA, using short natural language questions with implicit ...


Keywords: transcript error correction, video question answering, video retrieval, video summarization

3 Correlating summarization of multi-source news with k-way graph bi-clustering



Ya Zhang, Chao-Hsien Chu, Xiang Ji, Hongyuan Zha

December 2004 **ACM SIGKDD Explorations Newsletter**, Volume 6 Issue 2

Full text available:  pdf(166.54 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

With the emergence of enormous amount of online news, it is desirable to construct text mining methods that can extract, compare and highlight similarities of them. In this paper, we explore the research issue and methodology of correlated summarization for a pair of news articles. The algorithm aligns the (sub)topics of the two news articles and summarizes their correlation by sentence extraction. A pair of news articles are modelled with a weighted bipartite graph. A mutual reinforcement princ ...

Keywords: biclustering, bipartite graph, correlated summarization, news summarization

4 A text input front-end processor as an information access platform

Shinichi Doi, Shin-ichiro Kamei, Kiyoshi Yamabana

August 1998

Full text available:  pdf(648.02 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

 [Publisher Site](#)

This paper presents a practical foreign language writing support tool which makes it much easier to utilize dictionary and example sentence resources. Like a Kana-Kanji conversion front-end processor used to input Japanese language text, this tool is also implemented as a front-end processor and can be combined with a wide variety of applications. A morphological analyzer automatically extracts key words from text as it is being input into the tool, and these words are used to locate information ...

5 A workbench for finding structure in texts

Andrei Mikheev, Steven Finch

March 1997 **Proceedings of the fifth conference on Applied natural language processing**

Full text available:  pdf(783.10 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

 [Publisher Site](#)

In this paper we report on a set of computational tools with (n)SGML pipeline data flow for uncovering internal structure in natural language texts. The main idea behind the workbench is the independence of the text representation and text analysis phases. At the representation phase the text is converted from a sequence of characters to features of interest by means of the annotation tools. At the analysis phase those features are used by statistics gathering and inference tools for finding sig ...

6 Summarizing text documents: sentence selection and evaluation metrics

Jade Goldstein, Mark Kantrowitz, Vibhu Mittal, Jaime Carbonell

August 1999 **Proceedings of the 22nd annual international ACM SIGIR conference on Research and development in information retrieval**

Full text available:  pdf(273.01 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(['question sentence input' <and> 'retrieval sentence' <and> similarit*)<in>metadata)"

e-mail

Your search matched 0 of 1137806 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)

Modify Search

» Key

(['question sentence input' <and> 'retrieval sentence' <and> similarit*)<in>metadata >>

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((retriev* <paragraph> sentence) <and> similar* <and> contribut*)<in>metadata)"

☒ e-mail

Your search matched 0 of 1137806 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [View Session History](#)» [New Search](#)**Modify Search**» **Key**

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2005 IEEE -